

LED Headlamp 6000 K 73.0 mm PX26d

The NEOLUX LED Headlamps upgrade vehicles with the latest LED technology that features a cold white color temperature of 6,000 K. The NEOLUX LED Headlamps design makes easy replacement with the most common traditional lamps H4 and H7 possible and provide a homogenous and modern look. Through an even light distribution and a clearly defined cut-off line a better visibility on the road is enabled.



Product family benefits

- Upgrade with the latest LED technology
- Modern look
- Better visibility
- Longer replacement cycle
- Simple Installation

Product family features

- Contemporary, cold white color temperature with 6,000 K
- High brightness
- Even light distribution
- Long lifetime
- Convenient replacement for traditional H4, H7 lamps



N499DWB

Product information

Product type (off-road vs. on-road)	Off-road \triangleq H7
Application (Category and Product specific)	Headlights

Electrical data

Power input	18 W
Test voltage	13.2 V
Nominal wattage	18.00 W
Nominal voltage	12.0 V

Photometrical data

Color temperature	6000 K
Luminous flux	1000 lm
Luminous flux tolerance	\pm 20 %
Light color LED	Cold white

Dimensions & weight

Diameter	14.0 mm
Product weight	80.00 g
Length	73.0 mm

Additional product data

Base (standard designation)	PX26d
-----------------------------	-------

Capabilities

Technology	LED
------------	-----

Certificates & standards

ECE category	\triangleq H7
--------------	-----------------

Logistical data

Order reference	N499DWB
-----------------	---------

Environmental information

Date of Declaration	10-11-2021
Primary Article Identifier	4062172168694
Candidate List Substance 1	No declarable substances contained
CAS No. of substance 1	No CAS
Declaration No. in SCIP database	No declarable substances contained

Packaging Information

Packaging description	EAN	Packaging type	Amount of article
NEOLUX N499DWB	4062172168694	Folding box	2

Legal advice

These products do not have ECE approval. This means they must not be used on public roads in any exterior application. Use on public roads leads to cancellation of operating license and loss of insurance coverage. Several countries do not allow sale and use of these products. Please contact your local distributor for information on the availability in your country.

Product datasheet



NEOLUX Automotive Lighting
OSRAM GmbH

Marcel-Breuer-Str 6
80807 Munich, Germany

Phone +49 89 6213-0
Fax +49 89 6213-2020

www.neolux-lighting.com